

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	transcod\$5 and (argument\$5 with resolution\$5 with protocol\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 23:38
S2	8135	(argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 with Object\$3 with Access\$3 with Protocol\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 23:39
S3	5317	((argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 with Object\$3 with Access\$3 with Protocol\$5)) and ((transfer\$5 or HTTP\$3) near5 (protocol\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 23:40
S4	238	((argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 with Object\$3 with Access\$3 with Protocol\$5)) and ((transfer\$5 or HTTP\$3) near5 (protocol\$5)) and (transcod\$5 or (trans \$cod\$3) or (trans adj cod\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 23:41
S5	62	((argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 with Object\$3 with Access\$3 with Protocol\$5)) and ((transfer\$5 or HTTP\$3) near5 (protocol\$5)) and (transcod\$5 or (trans \$cod\$3) or (trans adj cod\$3)) and (referenc\$5 with locat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 23:42
S6	60	((argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and ((transfer\$5 or HTTP\$3) near5 (protocol\$5)) and (transcod\$5 or (trans \$cod\$3) or (trans adj cod\$3)) and (referenc\$5 with locat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 23:42

S7	60	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and ((transfer\$5 or HTTP\$3) near5 (protocol\$5)) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3)) and (referenc\$5 with locat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:43
S8	15	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) same ((transfer\$5 or HTTP\$3) near5 (protocol\$5)) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3)) and (referenc\$5 with locat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:43
S9	7	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) same ((transfer\$5 or HTTP\$3) near5 (protocol\$5)) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3)) and (referenc\$5 with locat\$5) and (print\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:44
S10	0	((((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) same ((transfer\$5 or HTTP\$3) near5 (protocol\$5))) same(transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3))) and (referenc\$5 with locat\$5) and (print\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:46
S11	0	((((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) same ((transfer\$5 or HTTP\$3) near5 (protocol\$5))) same (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3))) and (referenc\$5 with locat\$5) and (print\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:46
S12	28	(((((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and ((transfer\$5 or HTTP\$3) near5 (protocol\$5))) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3))) and (referenc\$5 with locat\$5) and (print\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:47
S13	27	(((((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and ((transfer\$5 or HTTP\$3) near5 (protocol\$5))) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3))) and (referenc\$5 with locat\$5) and (print\$5) and (client\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:47

S14	9013	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:48
S15	138	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (separat\$3 near5 channel\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:49
S16	1	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (separat\$3 near5 channel\$5 near5 exchange\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:50
S17	21	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (separat\$3 near5 channel\$5) and (transcod\$5 or trans\$cod\$5 or (trans adj cod\$3))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:51
S18	21	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (separat\$3 near5 channel\$5) and (transcod\$5 or trans\$cod\$5 or (trans adj cod\$3)) and (referenc\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:52
S19	10	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (separat\$3 near5 channel\$5) and (transcod\$5 or trans\$cod\$5 or (trans adj cod\$3)) and (referenc\$5) and (print\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:52
S20	126	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (transcod\$5 or trans\$cod\$5 or (trans adj cod\$3)) and (referenc\$5) and (print\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/03 23:53

S21	21	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (transcod\$5 or trans\$cod\$5 or (trans adj cod\$3)) and (referenc\$5) and (print\$5) and (channel\$5 with exchang\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 23:53
S22	31586	(358/1.1,1.2,1.6,1.9,1.13,1.14,1.15,1.16,1.17,1.18,400,401,407,468).CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/04 06:27
S23	7590	(710/8,11,14,15,62,64,72,314,315,313).CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/04 06:28
S24	4553	(347/2,3,5,14,23).CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/04 06:28
S25	5609	(399/1,8,9).CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/04 06:28
S26	10516	(709/230,231,232,233,236,237).CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/04 06:29
S27	58940	S22 or S23 or S24 or S25 or S26	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:30

S28	8147	((argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 with Object\$3 with Access\$3 with Protocol\$5))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:30
S29	511	S27 and S28	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:30
S30	5324	((argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 with Object\$3 with Access\$3 with Protocol\$5)) and ((transfer\$5 or HTTP\$3) near\$5 (protocol\$5))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:31
S31	380	S27 and S30	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:31
S32	238	((argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 with Object\$3 with Access\$3 with Protocol\$5)) and ((transfer\$5 or HTTP\$3) near\$5 (protocol\$5)) and (transcod\$5 or (trans \$cod\$3) or (trans adj cod\$3))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:32
S33	21	S27 and S32	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:32
S34	62	((argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 with Object\$3 with Access\$3 with Protocol\$5)) and ((transfer\$5 or HTTP\$3) near\$5 (protocol\$5)) and (transcod\$5 or (trans \$cod\$3) or (trans adj cod\$3)) and (referenc\$5 with local\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:32

S35	5	S27 and S34	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:32
S36	60	((argument\$5 with resolution\$5 with protocol\$5) or (Simple\$3 near\$5 Object\$3 near\$5 Access\$3 near\$5 Protocol\$5)) and ((transfer\$5 or HTTP\$3) near\$5 (protocol\$5)) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3)) and (referenc\$5 with locat\$5)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:33
S37	5	S27 and S36	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:33
S38	60	((argument\$5 near\$5 resolution\$5 near\$5 protocol\$5) or (Simple\$3 near\$5 Object\$3 near\$5 Access\$3 near\$5 Protocol\$5)) and ((transfer\$5 or HTTP\$3) near\$5 (protocol\$5)) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3)) and (referenc\$5 with locat\$5)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:33
S39	5	S27 and S38	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:33
S40	15	((((argument\$5 near\$5 resolution\$5 near\$5 protocol\$5) or (Simple\$3 near\$5 Object\$3 near\$5 Access\$3 near\$5 Protocol\$5)) same ((transfer\$5 or HTTP\$3) near\$5 (protocol\$5))) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3)) and (referenc\$5 with locat\$5)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:34
S41	3	S27 and S40	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 06:34

S42	28	(((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and ((transfer\$5 or HTTP\$3) near5 (protocol\$5))) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3))) and (referenc\$5 with locat\$5) and (print\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/04 06:35
S43	4	S27 and S42	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/04 06:35
S44	27	(((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and ((transfer\$5 or HTTP\$3) near5 (protocol\$5))) and (transcod\$5 or (trans\$cod\$3) or (trans adj cod\$3))) and (referenc\$5 with locat\$5) and (print\$5) and (client\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/03/04 08:52
S45	31586	{358/1.1,1.2,1.6,1.9,1.13,1.14,1.15,1.16,1.17,1.18,400,401,407,468}.CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/03/04 08:52
S46	7590	{710/8,11,14,15,62,64,72,314,315,313}.CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/03/04 08:52
S47	4553	{347/2,3,5,14,23}.CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/03/04 08:52
S48	5609	{399/1,8,9}.CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/03/04 08:52

S49	10516	{709/230,231,232,233,236,237}.CCL.S	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/04 08:52
S60	58940	S46 or S46 or S47 or S48 or S49	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:52
S61	4	S60 and S44	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:52
S62	8025	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:54
S63	502	S60 and S62	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:54
S64	138	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (separat\$3 near5 channel\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:55
S65	11	S60 and S64	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:55

S66	21	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (separat\$3 near5 channel\$5) and (transcod\$5 or transcod\$5 or (trans adj cod\$3))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:55
S67	3	S60 and S66	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:55
S68	21	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (separat\$3 near5 channel\$5) and (transcod\$5 or transcod\$5 or (trans adj cod\$3)) and (referenc\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:55
S69	3	S60 and S68	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:55
S60	10	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (separat\$3 near5 channel\$5) and (transcod\$5 or transcod\$5 or (trans adj cod\$3)) and (referenc\$5) and (print\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:56
S61	3	S60 and S60	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:56
S62	126	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)) and (transcod\$5 or transcod\$5 or (trans adj cod\$3)) and (referenc\$5) and (print\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:57

S63	12	S60 and S62	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:57
S64	21	((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access \$3 near5 Protocol\$5)) and (transcod\$5 or transcod\$5 or (trans adj cod\$3)) and (referenc\$5) and (print\$5) and (channel\$5 with exchange\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:59
S65	5	S60 and S64	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 08:59
S66	42	(Alan\$5 near9 Berkema\$5).in.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:08
S67	272	(Jeff\$5 near9 Morgan\$5).in.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:08
S68	27	(Pat\$3 near9 Stoltz\$5).in.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:09
S69	91	(Todd\$3 near9 Fischer\$5).in.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:10

S70	354	S66 or S67 or S68 or S69	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:10
S71	3	S70 and (((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5)))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:11
S72	7	S70 and (((transcod\$5) or (trans\$cod\$3) or (trans adj cod\$3)))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:13
S73	7	S70 and (((transcod\$5) or (trans\$cod\$3) or (trans adj cod\$3))) and (print\$5)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:13
S74	3	S70 and (((transcod\$5) or (trans\$cod\$3) or (trans adj cod\$3))) and (print\$5) and (separat\$5 with channel\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:14
S75	3	S70 and (((((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5))))).dlm.)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:20
S76	1	S70 and (((((transcod\$5) or (trans\$cod\$3) or (trans adj cod\$3))))).dlm.)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:20

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S77	3	argument\$3 with resolution\$3 with protocol\$3).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:01
S78	1	((argument\$3 with resolution\$3 with protocol\$3) and ((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3))).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:03
S79	879	((argument\$3 with resolution\$3 with protocol\$3) or (Simple with object with access with protocol)).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:20
S80	6	((argument\$3 with resolution\$3 with protocol\$3) or (Simple with object with access with protocol) and ((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3))).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:20
S81	3	((argument\$3 with resolution\$3 with protocol\$3) or (Simple with object with access with protocol) and ((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3)) and (print\$5)).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:24
S82	3	((argument\$3 with resolution\$3 with protocol\$3) or (Simple with object with access with protocol) and ((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3)) and (print\$5) and (reference\$3)).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:26
S83	3	((argument\$3 with resolution\$3 with protocol\$3) or (Simple with object with access with protocol) and ((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3)) and (print\$5) and (reference\$3 with location\$3)).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:27
S84	3	((argument\$3 with resolution\$3 with protocol\$3) or (Simple with object with access with protocol) and ((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3)) and (print\$5) and (reference\$3 with location\$3) and (transfer\$3 near\$5 protocol\$3)).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:30
S85	1	((((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3)) and (print\$5) and (reference\$3 with location\$3) and (transfer\$3 near\$5 protocol\$3)).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:32
S86	3104	((((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3))).dm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/03/04 10:32

S87	39	{(((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3)) and (separat\$ with channel\$3)).dm.	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 10:33
S88	3	{(((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3)) and (separat\$ with channel\$3 with exchang\$3)).dm.	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 10:33
S89	1	{(((transcod\$5) or (trans\$cod\$5) or (trans adj cod\$3)) and (separat\$ with channel\$3) and (argument\$3 with resolution\$3 with protocol\$3) or (Simple with object with access with protocol))).dm.	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 10:34
S90	27039	{358/1.1,1.2,1.6,1.9,1.13,1.14,1.15,1.16,1.17,1.18,400,401,407,468).CCL.S.	US- PGRUB; USPAT; UPAD	OR	OFF	2010/03/04 10:39
S91	7696	{710/8,11,14,15,62,64,72,314,315,313).CCL.S.	US- PGRUB; USPAT; UPAD	OR	OFF	2010/03/04 10:39
S92	4007	{347/2,3,5,14,23).CCL.S.	US- PGRUB; USPAT; UPAD	OR	OFF	2010/03/04 10:39
S93	1059	{399/1,8,9).CCL.S.	US- PGRUB; USPAT; UPAD	OR	OFF	2010/03/04 10:39
S94	10653	{709/230,231,232,233,236,237).CCL.S.	US- PGRUB; USPAT; UPAD	OR	OFF	2010/03/04 10:39
S95	49759	S90 or S91 or S92 or S93 or S94	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 10:40
S96	90	S95 and S79	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 10:41
S97	3	S95 and S90	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 10:42

S98	137	S95 and S86	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 10:42
S99	3	S95 and S87	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 10:42
S100	21	(Alan\$ near9 Berkema\$).in.	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 11:15
S101	202	(Jeff\$ near9 Morgan\$).in.	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 11:15
S102	13	(Pat\$ near9 Stoltz\$).in.	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 11:15
S103	61	(Todd\$ near9 Fischer\$).in.	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 11:16
S104	261	S100 or S101 or S102 or S103	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 11:17
S105	3	S104 and ((argument\$ near5 resolution\$ near5 protocol\$) or (Simple\$ near5 Object\$ near5 Access\$ near5 Protocol\$))	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 11:17
S106	5	S104 and ((transcod\$) or (trans\$cod\$3) or (trans adj cod\$3))	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 11:18
S107	5	S104 and ((transcod\$) or (trans\$cod\$3) or (trans adj cod\$3)) and (print\$)	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 11:18
S108	3	S104 and ((transcod\$) or (trans\$cod\$3) or (trans adj cod\$3)) and (print\$) and (separat\$ with channel\$3)	US- PGRUB; USPAT; UPAD	OR	ON	2010/03/04 11:19

SI09	3	SI04 and (((argument\$5 near5 resolution\$5 near5 protocol\$5) or (Simple\$3 near5 Object\$3 near5 Access\$3 near5 Protocol\$5))),dm.)	US; PGPUB; USPAT; UPAD	OR	ON	2010/03/04 11:20
SI10	1	SI04 and (((transcod\$5) or (trans\$cod\$3) or (trans adj cod\$3))),dm.)	US; PGPUB; USPAT; UPAD	OR	ON	2010/03/04 11:21

3/4/2010 12:20:17 PM

H:\Workspaces\09897647.03032010.1.wsp